

Website Threatened Plant records in VC12.xlsx

Potamogeton alpinus, 1990-2023, at least 6 fig grid ref **Best to Search: July - September**

Yellow highlighting is for sites I favour visiting first

Site Name	Gridref	Date	Comment
Hook Common	SU720530	31-Aug-04	in fire serve reservoir, SU 7202 5307, on eastern edge of Carleton's Gorse. (Pressed specimen shown at HFG Exhibition Meeting 19 Nov 2005.)
Basingstoke Canal, North Warnborough	SU733520	13-Sep-05	One patch to east of North Warnborough, SU73365207, Now rarely seen in the canal.
Basingstoke Canal, North Warnborough	SU7351	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, North Warnborough	SU7352	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, North Warnborough	SU739520	22-Sep-01	N Warnborough to Colt Hill, sometimes locally abundant, best site at SU739530 where extends for 30m.
Basingstoke Canal, Odiham	SU7451	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, Odiham	SU745517	22-Aug-02	Along canal, W from Colt Hill bridge, one flowering shoot seen
Basingstoke Canal, Broad Oak	SU753518	23-Sep-01	V. locally plentiful by Broad Oak Farm.
Basingstoke Canal, Broad Oak	SU7552	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].

Website Threatened Plant records in VC12.xlsx

Basingstoke Canal, Dogmersfield	SU7652	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, Dogmersfield	SU7653	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, Dogmersfield	SU7751	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, Dogmersfield	SU7752	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, Winchfield	SU7753	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, Dogmersfield	SU777520	23-Aug-05	A patch close to towpath bank east of bridge, SU7772 5204.
Basingstoke Canal, Coxmoor Wood	SU7851	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, East Coxmoor	SU787513	17-Oct-01	

Website Threatened Plant records in VC12.xlsx

Basingstoke Canal, Crookham	SU7951	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, Fleet	SU8153	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, Pondtail	SU8253	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey]. [None refound in canal length Pondtail Bridge to west of Eelmoor during summer 2012 survey for Basingstoke Canal Authority].
Basingstoke Canal, Pondtail	SU8253	01-Jan-90	Decreasing but still present.
Basingstoke Canal, Norris Hill area	SU8353	01-Jan-90	Decreasing but still present.
Basingstoke Canal, Eelmoor	SU8452	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].
Basingstoke Canal, Eelmoor area	SU8452	01-Jan-90	Decreasing but still present.
Basingstoke Canal, Aldershot	SU8752	01-Jan-97	Recorded in 15 1km squares. The most common Potamogeton on parts of the canal, often locally dominant in shallower water but absent in the centre channel. Increasing in the Coxmoor area but apparently decreased in Odiham and North Warnborough areas (though possibly under-recorded due to weed cutting). Now rare or absent in some stretches, notably Fleet. [None could be found in the canal during a 2009 survey].

Almost certainly extinct now in the Basingstoke Canal. Worth checking site at Hook Common